# Future Emissions and Concentrations of Carbon Dioxide: Key Ocean/Atmosphere/Land Analyses

by I.G. Enting, T.M.L. Wigley and M. Heimann

This report is dedicated to the memory of Ulrich Siegenthaler, 1941–1994, whose work so greatly influenced the modelling presented here.

Cover illustration shows estimates, from ten carbon cycle models, of fossil carbon emissions required to achieve stabilisation of atmospheric CO<sub>2</sub> at 650 ppmv.

#### National Library of Australia Cataloguing-in-Publication Entry

Enting, I.G.

Future Emissions and Concentrations of Carbon Dioxide: Key Ocean/Atmosphere/Land Analyses

Bibliography.

ISBN (0 643 05256 9 Print edition) 0 643 06642 X (electronic edition)

- 1. Atmospheric carbon dioxide Measurement.
- 2. Carbon cycle (Biogeochemistry) Mathematical models. 3. Atmospheric circulation Mathematical models.
- I. Wigley, T.M.L. II. Heimann, Martin. III. CSIRO. Division of Atmospheric Research.

IV. Title (Series: Division of Atmospheric Research Technical Paper; no. 31).

551.5112

The production of this report was supported by the Australian Department of Environment, Sport and Territories.

Some of Ian Enting's work on this report is part of the activities of the Cooperative Research Centre for Southern Hemisphere Meteorology.

©CSIRO Australia 1994 (electronic edition 2001).

# Future Emissions and Concentrations of Carbon Dioxide: Key Ocean/Atmosphere/Land Analyses

Written and edited by I.G. Enting<sup>1</sup>, T.M.L. Wigley<sup>2</sup> and M. Heimann<sup>3</sup>

#### Model calculations and descriptions contributed by:

J.A. Taylor<sup>4</sup>, J. Lloyd<sup>4</sup> and G. Farquhar<sup>4</sup>

W.R. Emanuel<sup>5</sup>

B.C. Cohen<sup>6</sup>

I.G. Enting<sup>1</sup> and K.R. Lassey<sup>7</sup>

P. Friedlingstein<sup>8</sup>

A.A. Keller<sup>9</sup> and R.A. Goldstein<sup>9</sup>

M. Heimann<sup>3</sup>, J. Kaduk<sup>3</sup>, K. Kurz<sup>3</sup> and E. Maier-Reimer<sup>3</sup>

F. Joos<sup>10</sup> and U. Siegenthaler<sup>10</sup>

A. Jain<sup>11</sup> and D. Wuebbles<sup>11</sup>

B.H. Braswell<sup>12</sup> and B. Moore<sup>12</sup>

J.C. Orr<sup>13</sup> and P. Monfray<sup>14</sup>

T.-H. Peng<sup>5</sup>

C. Le Quéré<sup>15</sup>, J.L. Sarmiento<sup>15</sup> and S.W. Pacala<sup>15</sup>

J. Alcamo<sup>16</sup> and M. Krol<sup>16</sup>

L.D.D. Harvey<sup>17</sup>

J. Viecelli<sup>11</sup>

T.M.L. Wigley<sup>2</sup>

O.C. Zakharova<sup>18</sup> and K.I. Selyakov<sup>18</sup>

- 1. CRC-SHM: DAR, CSIRO, PMB 1, Mordialloc, Vic 3195, Australia.
- 2. OIES, UCAR, PO Box 3000, Boulder, Colorado, USA.
- 3. Max Planck Institut für Meteorologie, Hamburg, Germany.
- 4. Australian National University, Canberra, Australia.
- 5. Oak Ridge Nat. Lab., Oak Ridge, Tennessee, USA.
- 6. UN Economic Commission for Europe, Geneva, Switzerland.
- 7. NIWA, PO Box 31–311, Lower Hutt, NZ.
- 8. Belgian Inst. Space Aeronomy, 3 Ave. Circulaire, B-1180 Brussels.
- 9. EPRI, PO Box 10412, Palo Alto, CA 94303, USA.
- 10. Physics Institute, University of Bern, CH-3012, Bern, Switzerland.
- 11. Lawrence Livermore Lab., PO Box 808 L-263, Livermore, CA 94551, USA.
- 12. University of New Hampshire, USA.
- 13. CEN Saclay CEA, Gif-sur-Yvette, France.
- 14. CFR, CNRS-CEA, Gif-sur-Yvette, France.
- 15. Princeton University, Princeton, New Jersey, 08544, USA.
- 16. RIVM PO Box 1, 3270 BA, Bilthoven, The Netherlands.
- 17. Dept Geography, University of Toronto, Toronto, Canada.
- 18. State Hydrological Institute, St. Petersburg, Russia.

# Future Emissions and Concentrations of Carbon Dioxide: Key Ocean/Atmosphere/Land Analyses

#### **Contents**

	List of Tables	
	List of Figures	
	Publication History	5
	Abstract	
1.	Introduction	(as above) 6
2.	Carbon Budget Issues	(33kB pdf) 8
3.	Modelling Approaches	(58kB pdf) 11
4.	Strategies for Achieving Carbon Balance	(47kB pdf) 19
5.	Summary of Models	(23kB pdf) 21
6.	Initialisation	(73kB pdf) 23
7.	Summary of Results for Forward Calculations	(62kB pdf) 28
8.	Summary of Results for Stabilisation Calculations	(294kB pdf) 31
9.	Summary of Results for Response Functions	(146kB pdf) 39
10.	Assessment of Results	(34kB pdf) 45
11.	Assessment of Uncertainties	(51kB pdf) 47
12.	Additional Calculations	(63kB pdf) 52
13.	Conclusions	(17kB pdf) 57
Ref	erences	(49kB pdf) 59
Apı	pendix A: Instructions for Calculations	(92kB pdf) 66
Apı	pendix B: Data Sets Provided	(158kB pdf) 81
Apj	pendix C: Descriptions of Models	(121kB pdf) 88
Apj	pendix D: Additional Tables of Results	(39kB pdf) 107
Apı	pendix E: Additional Figures	(607kB pdf) 111
Apı	pendix F: Additional Calculations	(15kB pdf) 122
Apı	pendix G: Notation	(33kB pdf) 123
Apı	pendix H: Glossary	(22kB pdf) 124
Ulr	ich Siegenthaler 1941–1994	(17kB pdf) 126
List	t of technical papers (25kB pdf)	

### **Tables**

3.1 Models	11
3.2 Eddy diffusion coefficients for box-diffusion model	15
5.1 Characteristics of models	21
6.1 Mean budgets 1980–89	23
6.2 Contributed <sup>14</sup> C results	26
6.3 Comparison of ocean <sup>14</sup> C results	27
7.1 Forward Projections to 2050	28
7.2 Forward Projections to 2100	28
8.1 Stabilisation cases, peak emissions	31
8.2 Stabilisation cases, emissions in 2200	33
8.3 Air-sea fluxes, S650	
8.4 Fertilisation fluxes, S650	35
8.5 Cumulative emissions to stabilisation date	37
9.1 Equilibrium impulse response	39
9.2 Perturbation impulse response	39
9.3 HILDA model response for GWP reference	42
9.4 Parameterisation of HILDA model responses	43
11.1 Results for sensitivity to current land-use flux	51
12.1 Specification of WEC emission scenarios	52
A.1 Land-use emissions, 1850–1990	
A.2 Industrial emissions 1840–1990	74
A.3 IS92a-f scenarios, Total and deforestation emissions	
A.4 IS92a-f scenarios, Industrial and deforestation emissions	
B.1 Padé approximants specifying concentration profiles	86
C.1 List of models and institutions	
D.1 Calculations contributed	107
D.2 Details of forward initialisations	
D.3 Ocean fluxes pre-1990	
D.4 Fertilisation fluxes pre-1990	108
D.5 Industrial emissions S650	109
D.6 Industrial emissions S450	109
D.7 Equilibrium response function, ocean only	110
D.8 Perturbation response function, ocean only	
D.9 Equilibrium response function, biota only	
D.10 Perturbation response function, biota only	110

## **Figures**

Calculated emissions for S650 case	$\dots$ Cover
4.1 Relations between components of atmospheric budget	20
6.1 Calculated concentrations pre-1990 for forward initialisations	24
6.2 Calculated emissions pre-1990 for inverse initialisations	24
7.1 Concentrations predicted using IS92a	
7.2 Concentrations predicted with emissions fixed at 1995 levels	30
8.1 Prescribed CO <sub>2</sub> concentration profiles for stabilisation studies	
8.2 Calculated emissions for S450 case	33
8.3 Calculated emissions for S650 case	34
8.4 Effect of delay in stabilisation at 450 ppmv	35
8.5 Effect of delay in stabilisation at 550 ppmv	36
8.6a Integrated industrial emissions for S650	37
8.6b Integrated oceanic uptake for S650	
9.1 Impulse response to pre-industrial flux	
9.2 Impulse response relative to S650	40
9.3 Impulse responses for Model J	42
10.1 Relations between future emissions and current ocean uptake	
12.1 World Energy Council emission scenarios	
12.2 Concentrations calculated using WEC scenarios	53
B.1 Prescribed fit to past CO <sub>2</sub>	83
B.2 Prescribed fit to past $CO_2$ (Recent decades)	84
B.3 Comparison of CO <sub>2</sub> growth rates	
B.4 Prescribed 'land-use' flux	86
B.5 Specified atmospheric <sup>14</sup> C levels	87
E.1 Calculated emissions for S350 case	112
E.2 Calculated emissions for S550 case	112
E.3 Calculated emissions for S750 case	
E.4 Calculated emissions for DS450 case	113
E.5 Calculated emissions for DS550 case	114
E.6 Concentrations for 1% compound emission reduction	114
E.7 Concentrations for 2% compound emission reduction	115
E.8 Concentrations predicted using IS92b	
E.9 Concentrations predicted using IS92c	
E.10 Concentrations predicted using IS92d	
E.11 Concentrations predicted using IS92e	
E.12 Concentrations predicted using IS92f	
E.13a Integrated industrial emissions for S350	
E.13b Integrated oceanic uptake for S350	
E.14a Integrated industrial emissions for S450	
E.14b Integrated oceanic uptake for S450	
E.15a Integrated industrial emissions for S550	
E.15b Integrated oceanic uptake for S550	
E.16a Integrated industrial emissions for S750	
E.16b Integrated oceanic uptake for S750	121

#### **Publication History**

This report is intended for documentation of the IPCC special report on *Radiative Forcing of Climate Change*.

**Release 1.** This version was issued over *internet* through anonymous ftp from CSIRO, Aspendale. A limited 'hard-copy' distribution was undertaken from WG1 Technical Support Group, Bracknell, UK. Release 1 was issued solely for the purpose of aiding the review process for the IPCC special report on *Radiative Forcing of Climate Change*. Release 1 was issued 30/3/94, but the cover sheet and page 1 were incorrectly dated 30/3/93. The substantive changes (as opposed to additions) in later versions are that the results for Model Q in 'Release 1' were an earlier 'ocean-only' case, and the ocean differed slightly from the form used for later versions; and Model R denoted the version of IMAGE-2 with CO<sub>2</sub>-climate feedback (subsequently denoted R\*).

**Draft release 2.** This was released to IPCC lead authors for comment and also for external review.

**Publication** This report was produced as part of the CSIRO, DAR Technical Paper series, and also made available, for several months in 1994, as a set of post-script files via internet. <sup>1</sup> Models Z and F<sub>2</sub> were late contributions and so in some places the discussion of these models is less complete than for other models. Information supplied for model T was ambiguous regarding the role of feedbacks.

**Electronic edition 2001** The electronic edition was prepared from the original LaTeX files, reformatted from B5 to A4. Minor typographical errors were corrected. Footnotes were added where additional clarification seemed desirable. The incomplete references were left unchanged, but notes were added giving revised publication details.

#### **Data Archiving**

In order to assist in the review process of the IPCC reports (IPCC, 1994, 1995) the results of this modelling exercise were made available through anonymous ftp at ftp.dar.csiro.au, on directory ftp/IPCC/results. <sup>2</sup> These concentrated on results that complied with the specifications in Appendix A. In the longer term, responsibility for handling these data is being transferred to the Carbon Dioxide Information Analysis Center (CDIAC) at Oak Ridge National Laboratory.

The contact details for CDIAC are: http://cdiac.esd.orln.gov<sup>3</sup>

Click here to go back to contents

<sup>&</sup>lt;sup>1</sup>Footnote to electronic edidion Still (2001) available at CDIAC.

<sup>&</sup>lt;sup>2</sup>Footnote to electronic edition No longer available.

<sup>&</sup>lt;sup>3</sup>As of Feb 2001, original (1994) details deleted in electronic edition.