

# TAPM (The Air Pollution Model)



## Price List

Companies and individuals may use TAPM under licence to CSIRO. TAPM is provided as executable code, which will run under the Windows operating system. TAPM includes a global terrain, land use and soil database, and includes synoptic analyses databases for one region for two calendar years.

- TAPM software: AUD\$5,000.
- TAPM additional licence: AUD\$3,000 (+GST in Australia)

Note that the TAPM package will only be sent once payment on the invoiced amount has been made, and that additional licences are classified as the 2<sup>nd</sup> or further licence purchased by an organisation.

An upgrade (software only) from any version of TAPM to TAPM V4 is available.

- TAPM software upgrade: AUD\$2,000 (+GST in Australia)

Additional synoptic analyses datasets for other regions and calendar years are available

- TAPM synoptic analyses: AUD\$500 (per region/year) (+GST in Australia)

Current year datasets will usually be available before the end of January of the following year.

The default dataset regions (see map below for details) for 1999-2010 are defined as:

- Region 1: AUS, NZL, NCD, SAS, CAS, NAS and RUS tiles
- Region 2: EUR, RUS, AZO, MID, NAF and SAF tiles
- Region 3: ALA, CAN, NAM, CAM, SAM and ARG tiles

and from mid-August 2010 onwards the dataset is global (excluding near polar latitudes). Some pre-1999 datasets are also available.

See the TAPM web page for more information.

## Contacts

Mary Edwards: [Mary.Edwards@csiro.au](mailto:Mary.Edwards@csiro.au)

Peter Hurley: [Peter.Hurley@csiro.au](mailto:Peter.Hurley@csiro.au)

CSIRO Marine & Atmospheric Research, PMB 1 Aspendale, Vic 3195. Australia.

See [www.cmar.csiro.au/research/tapm](http://www.cmar.csiro.au/research/tapm) for more information on TAPM.

Map showing regions where meteorological analyses are available.

